EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	91	"347"/$$$.ccls. and ((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:40
L20	74	"347"/$$$.ccls. and ((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) AND ((control$3 or driv$3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:40
L21	0	"347"/$$$.ccls. and ((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) WITH ((control$3 or driv$3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:41

L23	4085	((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) AND ((control$3 or driv$3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:00
L24	832	((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) SAME ((control$3 or driv$3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:00
L25	355	((((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) with ((control$3 or driv$3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:00

L26	26	(((Plunger or piston) near2 (accelerat$4 or velocity or speed)) WITH ((Plunger or piston) near2 (decelerat$4 or velocity or speed))) with ((control$3 or driv $3) near3 (graph or signal or waveform or voltage))and ((eject$3 or discharg$3)near2 (fluid or ink or liquid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:02
L32	1	"347"/$$$.ccls. and (((Plunger or piston) with (accelerat$4 and decelerat$4)) and (control$3 or driv $3) near3 (graph or signal or waveform or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:53
L33	10	"347"/$$$.ccls. and (((Plunger or piston) with (accelerat$4 and decelerat$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:54
S12	1704	347/9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 17:49
S13	1000	347/9.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 17:49

S14	255	347/9 and (Plunger or piston or pump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 17:50
S15	2	347/9 and ((Plunger or piston or pump) NEAR2 (Acceleration or deceleration or accelerat$4 or decelerat$4 or speed or velocity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 18:28
S18	207	"347"/$$$ and ((Plunger or piston or pump) NEAR2 (Acceleration or deceleration or accelerat$4 or decelerat$4 or speed or velocity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 18:29
S19	207	"347"/$$$ and ((Plunger or piston or pump) NEAR2 (Acceleration or deceleration or accelerat$4 or decelerat$4 or speed or velocity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 19:10
S20	63	"347"/$$$ and ((Plunger or piston or pump) NEAR2 (Acceleration or deceleration or accelerat$4 or decelerat$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 18:29
S22	1240	"222"/$$$ and ((Plunger or piston or pump) NEAR2 (Acceleration or deceleration or accelerat$4 or decelerat$4 or speed or velocity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 19:11

S23	107	"222"/$$$ and ((Plunger or piston or pump) NEAR(Acceleration or deceleration or accelerat$4 or decelerat$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 19:11
S24	76	"222"/$$$ and ((Plunger or piston)NEAR (Acceleration or deceleration or accelerat$4 or decelerat$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 19:12
S28	1068	347/20.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:14
S30	10	"347"/$$$.ccls. and ((Plunger or piston or pump) near2 ((seal$3 adj (rib or ring)) or gasket$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:15
S31	57	"347"/$$$.ccls. and ((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:15
S33	1	S31 and ((Plunger or piston or pump) near2 ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:23
S34	1830	"222"/$$$.ccls. and ((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:26

S35	54	S34 and ((metering or calibrat$3 or graduat$4) near (tube or cylinder or pipe or canal or conduit or duct or channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:27
S39	499	"141"/$$$.ccls. and ((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:34
S40	10	S39 and ((metering or calibrat$3 or graduat$4) near (tube or cylinder or pipe or canal or conduit or duct or channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:34
S42	4	S39 and ((Plunger or piston or pump) near2 ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:46
S43	34236	((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:53

S44	324	((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))and ((metering or calibrat$3 or graduat$4 or scal $3) near (tube or cylinder or pipe or canal or conduit or duct or channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:53
S46	64	((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))and ((metering or calibrat$3 or graduat$4 or scal $3) near3 (tube or cylinder or pipe or canal or conduit or duct or channel))and ((Plunger or piston or pump) with ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:56
S47	1239	((Plunger or piston or pump) with ((seal$3 adj (rib or ring)) or gasket$3))and ((Plunger or piston or pump) with ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 09:34

S48	7	((Plunger or piston or pump) near ((seal$3 adj (rib or ring)) or gasket$3))and ((Plunger or piston or pump) near ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 09:35
S49	189	((Plunger or piston or pump) near3 ((seal$3 adj (rib or ring)) or gasket$3))and ((Plunger or piston or pump) near3 ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 09:35
S50	88	((Plunger or piston or pump) near2 ((seal$3 adj (rib or ring)) or gasket$3))and ((Plunger or piston or pump) near2 ((air or gas or bubble)adj (remov$4 or exhaust$3 or vent or hole or groove or slit or entrap$4 or trap or trapp $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 09:36
S58	308	(conduct$4) with (conduct$4 adj tape) with (conduct$4 adj (paste or adhesive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 13:27

S59	84	((conduct$4) with (conduct$4 adj tape) with (conduct$4 adj (paste or adhesive))with connect$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 13:29
S60	47	((conduct$4) with (conduct$4 adj tape) with (conduct$4 adj (paste or adhesive))with connect$4)and substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 13:29
S61	12	((conduct$4) with (conduct$4 adj tape) with (conduct$4 adj (paste or adhesive))with connect$4)with substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/21 13:29

8/ 15/ 2008 3:56:49 PM
C:\ Documents and Settings\ hlegesse\ My Documents\ EAST\ Workspaces
\ No_33_App10565504 _ Method of asjusting droplets (discharging using PLUNGER accelerating and decelerating) .wsp